

**From:** sbrokenshi@pa.gov  
**Sent:** 3/7/2012 11:56:14 AM  
**To:** "Kelley Chase/R3/USEPA/US@EPA" <Chase.Kelley@epamail.epa.gov>; "Denis" <Eagan DEagan@moody-s.com>  
**CC:** "John Smelko" <john.smelko@cabotog.com>; "Richard Rupert/R3/USEPA/US" <Rupert.Richard@epamail.epa.gov>; "Richard Fetzer/R3/USEPA/US@EPA" <Fetzer.Richard@epamail.epa.gov>; "Ann DiDonato/R3/USEPA/US@EPA" <DiDonato.Ann@epamail.epa.gov>  
**Subject:** RE: Additional sample 3/8/12

Thank you Kelley.

Stephen D. Brokenshire | Mineral Resources Program Specialist |  
Pennsylvania Department of Environmental Protection |  
Office of Oil & Gas Management |  
Division of Resource Management & Well Development |  
101 Penn Avenue |  
Scranton, PA 18503 |  
Office (570) 346-5535 |  
[sbrokenshi@pa.gov](mailto:sbrokenshi@pa.gov)  
[www.dep.state.pa.us](http://www.dep.state.pa.us)

**From:** Kelley Chase [mailto:Chase.Kelley@epamail.epa.gov]  
**Sent:** Wednesday, March 07, 2012 11:13 AM  
**To:** Denis Eagan; Brokenshire, Stephen  
**Cc:** John Smelko  
**Subject:** Fw: Additional sample 3/8/12

Denis and Stephen -

We received limited information from the homeowners and were not able to perform a pre-sampling check of the home. Based on the initial information received, we are planning for both a wellhead and tap sample. However, as you know, this could change based on what we find in the field.

Thanks - Kelley

----- Forwarded by Kelley Chase/R3/USEPA/US on 03/07/2012 11:09 AM -----

**From:** Kelley Chase/R3/USEPA/US  
**To:** "Denis Eagan" <DEagan@moody-s.com>  
**Cc:** "John Smelko" <john.smelko@cabotog.com>  
**Date:** 03/06/2012 08:42 PM  
**Subject:** Re: Additional sample 3/8/12

Just saw your e-mail - will check tomorrow and get back to you.

Kelley A. Chase  
EPA Region 3  
On-Scene Coordinator  
215-814-3124 office  
267-273-8859 cell

----- Original Message -----

**From:** Denis Eagan [DEagan@moody-s.com]  
**Sent:** 03/06/2012 04:57 PM GMT  
**To:** Kelley Chase

Cc: John Smelko <[john.smelko@cabotog.com](mailto:john.smelko@cabotog.com)>

Subject: Additional sample 3/8/12

Kelley,

For the sampling at Ex. 6 - Personal Privacy on Thursday, do you know if we are collecting both a wellhead and a kitchen faucet sample?

Thanks.

Denis P. Eagan

Senior Geologic Technician

Moody & Associates

685 Broad St Extension

Suite 1

Waverly, NY 14892

Office: 607-565-8800

Cell: 570-877-9126

Fax: 607-565-8805

[Deagan@moody-s.com](mailto:Deagan@moody-s.com)

Sent from my iPhone